


Fig. 1
18 58 46

BEST AVAILABLE COPY

28

Fig. 2



34




Fig. 3

Fig. 4

Modifications to Simplex Projector Model

6 14




FIG. 5




FIG. 6




Fig. 7A




Fig. 7B






Fig. 8



Anamorphic Eccentric Collar Adapter

Fig. 9




SIGNATURE: Set Meen

BEST AVAILABLE COPY

EXCENT C 4" COLLAR

FIG. 10




SIGNATURE: Mark Mar

REST AVAILABLE CAV

VARIABLE LENS - 17 TO 21 MM

FIG. 11



BEST AVAILABLE COPY

SIGNATURE: Mukti Mehta

FIG. 12A




FIG. 12B






FIG. 13



DETAIL OF HOLDERS FOR REFLECTOR BRACKETS
FOR BIG SKY LAMPHOUSE


FIG. 14



SIGNATURE: John F...

RETROFIT RE-SECTOR BRACKET FOR BIG C.Y. LAMPHOUSE

FIG. 15




BEST AVAILABLE COPY

SIGNATURE: Neil Munro

DETAIL 6. HOLDERS FOR REFLECTOR BRACKET
FOR STRONG LAMPHOUSE


FIG. 16



SIGNATURE: Mr. M

RETROFIT REFLCTOR BRACKET FOR STRONG & WHOUSE

FIG. 17




* SEE DETAIL FOR
HOLDERS A, B & C
ON PAGE 9

SIGNATURE : Patel Mehta

BEST AVAILABLE COPY

DETAIL OF HOLDERS FOR REFLECTOR BRACKET FOR
CHRISTIE SLC 45 LAMPHOUSE


FIG. 18



SIGNATURE: Mark Mun

RETROFIT RE-SECTOR BRACKET FOR CHRIS SLC 45 LAMPHOUSE

FIG. 19



* SEE DETAIL FOR HOLDER
A, B & C ON PAGE 7


SIGNATURE: Mukta Joshi

FIG. 20

Christie SLC Seriec Technalight Mounting Kit

Aluminum Base
360.5mm X 350 mm
4mm Thick

Aluminum Base
360.5mm X 360mm
4mm Thick




BEST AVAILABLE COPY

Melvin

Fig. 21

Christie SLC Seriec Technalight Mounting Kit



REST AVAILABLE COPY

Not to scale

Fig. 22

Christie SLC Seriec Technalight Mounting Kit




Figure #4

Screws
How Many
What Kind

Fig. 23

Assembled Unit
Christie SLC Seriec Technalight Mounting Kit

BEST AVAILABLE COPY






FIG. 24A




OSRAM 4200 W/GS at 150A
TechnaLight Reflector
in a Super80 lamphouse

FIG. 24B




ORC XM7000/HS at 150A
Strong Factory reflector
in a Super80 lamphouse

FIG. 24C



OSRAM 3000 W/HS at 100A
TechnaLight Reflector
in a Super80 lamphouse

FIG. 24D



ORC XM7000/HS at 150A
Strong Factory reflector
in a Super80 lamphouse

Fig. 25

Screen Luminance Readings
(by zone, in foot-Lamberts)

11.0	12.4	12.8	12.8	12.6	12.2	12.2	11.8	11.4
12.4	13.8	14.4	14.4	14.4	14.2	13.8	13.4	12.6
11.0	12.4	12.8	13.0	13.0	12.8	12.4	12.2	11.4
9.4	10.4	10.8	10.8	10.8	10.8	10.6	10.4	10.2
8.8	9.4	9.8	10.0	10.0	10.0	10.0	9.8	9.2

Fig. 26

Screen Luminance Readings
(by zone, in foot-Lamberts)

10.4	12.2	13.8	14.8	15.2	15.0	14.6	13.6	12.0
13.8	16.4	18.6	19.8	20.5	20.0	19.4	17.8	15.2
13.8	16.4	18.0	19.2	19.6	19.2	18.4	17.0	14.6
12.4	14.4	15.8	16.6	17.0	16.6	16.0	14.6	12.6
10.6	12.8	14.0	14.8	15.2	14.8	13.8	12.6	10.0

FIG. 27

Screen Luminance Readings
(by zone, in foot-Lamberts)

6.6	8.8	10.0	11.4	11.8	11.8	10.8	9.6	7.4
6.8	8.8	10.4	11.6	12.6	12.2	11.4	9.8	8.0
7.0	8.4	10.0	11.0	11.8	11.4	10.6	9.4	8.2
7.2	8.4	10.0	10.8	11.2	11.2	10.8	9.4	8.2
7.2	9.0	10.6	12.0	12.6	12.6	12.0	10.0	8.2

FIG. 28

Screen Luminance Readings
(by zone, in foot-Lamberts)

8.8	12.2	15.2	17.0	17.0	15.8	14.0	11.4	8.2
10.8	15.2	18.8	20.5	20.5	19.4	17.0	13.8	9.6
10.8	14.8	17.4	19.2	19.6	18.0	15.6	13.0	9.0
9.8	13.2	15.4	16.6	16.6	15.6	13.6	10.8	7.8
9.0	12.2	14.4	15.4	15.6	14.6	12.6	10.2	6.8

Fig. 29

Screen Luminance Readings
(by zone, in foot-Lamberts)

14.4	14.0	13.8	14.0	14.2	14.2	14.4	15.0	15.4
17.2	17.2	17.4	17.4	17.6	17.4	17.8	18.0	17.4
16.4	16.6	16.6	17.2	17.2	16.8	16.6	16.8	16.0
15.0	15.2	15.4	15.8	15.4	15.4	15.4	15.2	14.8
14.8	15.2	15.2	15.6	15.4	15.2	15.2	15.2	14.4

Fig. 30

Screen Luminance Readings
(by zone, in foot-Lamberts)

13.4	14.4	15.6	16.8	16.8	16.8	15.8	15.2	14.4
17.2	19.8	21.0	22.0	22.5	22.0	21.0	20.0	18.2
17.4	19.6	20.5	22.5	22.0	21.5	20.5	19.6	17.6
16.0	17.6	18.8	19.4	19.2	19.0	18.4	17.0	15.4
13.6	15.6	16.8	17.8	17.4	17.4	16.4	15.2	13.6

Fig. 31

Screen Luminance Readings
(by zone, in foot-Lamberts)

14.8	14.6	14.8	14.8	14.8	14.8	15.0	15.2	15.0
16.6	17.4	17.8	17.8	18.0	17.8	18.0	17.8	16.4
15.6	16.6	16.8	17.4	17.4	17.2	16.8	16.6	15.2
14.6	15.2	15.8	16.0	15.8	15.8	15.6	15.2	14.4
14.4	15.4	15.8	16.4	16.4	16.2	16.0	15.4	14.2

Fig. 32

Screen Luminance Readings
(by zone, in foot-Lamberts)

11.0	13.4	15.2	16.4	16.6	16.2	15.2	13.8	12.2
13.2	16.8	18.8	20.0	20.5	19.8	18.8	17.2	14.6
13.0	16.4	18.0	19.8	19.8	19.2	17.6	16.4	14.0
12.4	15.2	16.6	17.6	17.6	17.0	16.2	14.8	12.8
11.8	14.6	16.2	17.4	17.2	17.0	16.2	14.6	12.4




FIG. 33

REST AVAILABLE COPY




FIG. 34

Shutter enhancement procedure

Fig. 35




Fig. 36




Fig. 37

